

## **Historic, Archive Document**

**Do not assume content reflects current scientific knowledge, policies, or practices.**





Washington 25, D. C.

Estimated grade and staple length of upland cotton ginned in the United States prior to November 1, 1950 1/

Estimated grade and staple length of upland cotton ginned in the United States prior to November 1, 1950 1/																					
Grade	13/16" & shorter		7/8"		29/32"		15/16"		31/32"		1"		1-1/32"		1-1/16"		1-3/32"		1-1/8" & longer		All lengths
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Pct.		
Ex. White	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
G.M.	:	-	:	-	:	3	:	-	:	-	9	:	626	:	6,002	:	3,167	:	2,268	:	
S.M.	:	-	:	9	:	2	:	72	:	51	310	:	30,012	:	125,325	:	64,058	:	51,809	:	
M.	:	-	:	27	:	19	:	254	:	144	938	:	43,554	:	166,720	:	102,036	:	59,889	:	
S.L.M.	:	4	:	54	:	12	:	214	:	48	289	:	5,305	:	41,987	:	23,828	:	6,040	:	
L.M.	:	-	:	10	:	1	:	67	:	7	113	:	496	:	4,644	:	1,503	:	107	:	
S.G.O.	:	1	:	5	:	-	:	4	:	-	19	:	18	:	40	:	7	:	-	:	
G.O.	:	2	:	1	:	-	:	-	:	-	9	:	-	:	1	:	-	:	-	:	
White	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
GM & higher:	:	20	:	70	:	180	:	1,030	:	3,230	3,820	:	1,732	:	1,743	:	506	:	832	:	
S.M.	:	560	:	2,735	:	3,502	:	23,070	:	37,940	42,380	:	66,880	:	129,520	:	42,810	:	830	:	
M.	:	1,891	:	13,758	:	21,165	:	101,078	:	133,711	170,240	:	476,571	:	948,813	:	308,840	:	58,000	:	
S.L.M.	:	1,951	:	22,477	:	38,864	:	88,866	:	92,943	164,865	:	560,585	:	778,717	:	260,070	:	44,790	:	
L.M.	:	310	:	5,470	:	12,371	:	29,022	:	23,930	51,090	:	97,390	:	95,390	:	32,000	:	4,210	:	
S.G.O.	:	10	:	190	:	510	:	2,470	:	2,480	5,610	:	4,540	:	5,250	:	1,450	:	250	:	
G.O.	:	20	:	60	:	20	:	220	:	30	340	:	280	:	250	:	60	:	-	:	
Spotted	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
G.M.	:	1,151	:	8,352	:	5,628	:	4,573	:	2,614	1,741	:	2,932	:	2,720	:	669	:	338	:	
S.M.	:	10,109	:	82,837	:	65,857	:	56,357	:	29,386	26,890	:	50,777	:	49,774	:	6,127	:	2,025	:	
M.	:	7,680	:	56,742	:	42,839	:	33,934	:	15,241	15,184	:	29,485	:	22,493	:	2,837	:	389	:	
S.L.M.	:	648	:	2,430	:	1,850	:	1,884	:	1,176	1,194	:	2,669	:	2,249	:	223	:	70	:	
L.M.	:	-	:	45	:	20	:	141	:	160	81	:	62	:	60	:	30	:	-	:	
Tinged 3/	:	10	:	-	:	-	:	-	:	10	1	:	35	:	25	:	7	:	6	:	
Stained 3/	:	-	:	-	:	-	:	-	:	-	-	:	-	:	-	:	-	:	-	:	
Gray 3/	:	16	:	52	:	40	:	122	:	462	4,072	:	5,616	:	4,964	:	1,284	:	283	:	
Below Grade:	:	11	:	21	:	-	:	110	:	10	110	:	50	:	20	:	10	:	-	:	
All Grades :	24,394	195,345	192,883	343,488	343,573	489,305	1,379,615	2,386,707	851,522	243,136	6,449,968	4/100.0									
Percent :	.4	3.0	3.0	5.3	5.3	7.6	21.5	37.0	13.2	3.7	100.0										
1/ Preliminary.	2/ See table on reverse side for 1-1/8" and longer by staple lengths.																				
3/ Includes all grades.	4/ As reported by the Bureau of the Census.																				
* Less than 0.05 percent.																					



Grade and staple length of upland cotton ginned in the  
United States, prior to November 1, 1950 1/ (Continued)

Grade	: 1-1/8"	: 1-5/32"	: 1-3/16"	: 1-7/32"	: 1-1/4" and longer	: Total 1-1/8" and longer
	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>
<u>Extra White:</u>						
G.M.	920	314	539	399	96	2,268
S.M.	21,037	7,774	11,505	9,497	1,996	51,809
M.	27,090	9,048	11,960	9,319	2,472	59,889
S.L.M.	3,045	880	1,094	848	173	6,040
L.M.	51	11	34	11	-	107
S.G.O.	-	-	-	-	-	-
G.O.	-	-	-	-	-	-
<u>White:</u>						
G.M. & higher	100	42	260	400	30	832
S.M.	6,080	1,830	1,400	1,530	990	11,830
M.	40,150	6,880	2,820	3,020	5,130	58,000
S.L.M.	34,220	5,370	1,550	1,290	2,360	44,790
L.M.	3,090	420	220	130	350	4,210
S.G.O.	100	50	40	30	30	250
G.O.	-	-	-	-	-	-
<u>Spotted:</u>						
G.M.	214	35	29	10	50	338
S.M.	1,076	296	251	152	250	2,025
M.	216	43	50	10	70	389
S.L.M.	20	20	20	-	10	70
L.M.	-	-	-	-	-	-
<u>Tinged 2/</u>						
	6	-	-	-	-	6
<u>Stained 2/</u>						
	-	-	-	-	-	-
<u>Gray 2/</u>						
	262	1	10	10	-	283
<u>Below Grade</u>						
	-	-	-	-	-	-
All Grades	137,677	33,014	31,782	26,656	14,007	243,136

1/ Preliminary.

2/ Includes all grades.

